

Philippines - High pathogenicity avian influenza viruses (poultry) (Inf. with) - Follow-up report 1 [FINAL]

GENERAL INFORMATION

COUNTRY/TERRITORY OR ZONE	ANIMAL TYPE	DISEASE CATEGORY	EVENT ID
ZONE	TERRESTRIAL	Listed disease	5626
DISEASE	CAUSAL AGENT	GENOTYPE / SEROTYPE / SUBTYPE	START DATE
High pathogenicity avian influenza viruses (poultry) (Inf. with)	Highly pathogenic avian influenza virus	H5N1	2024/03/07
REASON FOR NOTIFICATION	DATE OF LAST OCCURRENCE	CONFIRMATION DATE	EVENT STATUS
First occurrence in a zone or a compartment	-	2024/03/19	Resolved
END DATE	SELF-DECLARATION		
2024/10/29	NO		

REPORT INFORMATION

REPORT NUMBER	REPORT ID	REPORT REFERENCE	REPORT DATE
Follow-up report 1	FUR_172388	-	2025/02/20
REPORT STATUS	NO EVOLUTION REPORT		
Validated	-		

EPIDEMIOLOGY

SOURCE OF EVENT OR ORIGIN OF INFECTION

- Contact with wild species
- Fomites (humans, vehicles, feed, etc.)

EPIDEMIOLOGICAL COMMENTS

No epidemiological comment

QUANTITATIVE DATA SUMMARY

MEASURING UNIT

Animal

Species	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
birds	NEW	-	-	-	-	-
(domestic)	TOTAL	60529	4480	4475	56054	-

DIAGNOSTIC DETAILS

CLINICAL SIGNS

YES

METHOD OF DIAGNOSTIC

Diagnostic test

Test name	Laboratory	Species sampled	Number of outbreaks sampled	First result date	Latest result date	Result
Real-time polymerase chain reaction (real-time PCR)	Animal Disease Diagnosis and Reference Laboratory	Birds	1	2024/03/19	2024/03/19	Positive

CONTROL MEASURES

CONTROL MEASURES AT EVENT LEVEL

Disinfection

Movement control

Official destruction of animal products

Official disposal of carcasses, by-products and waste

Stamping out

Surveillance outside the restricted zone

Surveillance within the restricted zone

DOMESTIC ANIMALS

Applied

Applied

Applied

Applied

Applied

Applied

Applied

WILD ANIMALS

UPDATED OUTBREAKS

OB_133811 - NAGHALIN, KANANGA, LEYTE

OUTBREAK REFERENCE	START DATE	END DATE	DETAILED CHARACTERISATION
-	2024/03/07	2024/04/24	-
FIRST ADMINISTRATIVE DIVISION	SECOND ADMINISTRATIVE DIVISION	THIRD ADMINISTRATIVE DIVISION	EPIDEMIOLOGICAL UNIT
Leyte	Kananga	Naghalin	Farm
LOCATION	Latitude, Longitude	OUTBREAKS IN CLUSTER	Measuring unit
Naghalin, Kananga, Leyte	11.146491 , 124.568738 (Approximate location)	-	Animal

AFFECTED POPULATION DESCRIPTION

The affected farm is surrounded by rice field paddies and a river which are frequented by wild waterfowls. These free-flying wild birds could have introduced the virus via their droppings, as the first building to be affected was at the back of the farm nearest to the rice paddies.

Species	Wildlife type	Susceptible	Cases	Deaths	Killed and Disposed of	Slaughtered/ Killed for commercial use	Vaccinated
birds (domestic)	NEW	-	-	-	-	-	-
poultry	TOTAL	60529	4480	4475	56054	-	-

METHOD OF DIAGNOSTIC

Diagnostic test

CONTROL MEASURES DIFFERENT FROM EVENT LEVEL

MEASURES NOT IMPLEMENTED

ADDITIONAL MEASURES

-

-